



APLIQUE SERIE SALAS

220-240 IP65 LED Iluminación directa e indirecta



APLIQUE EXTERIOR

2X3W

500 lm

3000K • Cálido

Aluminio

REF A21960601A • Blanco

2X3W

500 lm

4000K • Blanco neutro

Aluminio

REF A21960601B • Blanco


2X3W

500 lm

6500K • Luz fría

Aluminio

REF A21960601S • Blanco



APLIQUE EXTERIOR

2X3W

500 lm

3000K • Cálido

Aluminio

REF A21960609A • Negro

2X3W

500 lm

4000K • Blanco neutro

Aluminio

REF A21960609B • Negro


2X3W

500 lm

6500K • Luz fría

Aluminio

REF A21960691S • Negro



APLIQUE SERIE SALAS

220-240 IP65 LED Iluminación directa e indirecta



APLIQUE EXTERIOR

2X3W

500 lm

3000K • Cálido

Aluminio

REF A21860601A • Blanco

REF A21860609A • Negro

2X3W

500 lm

4000K • Blanco neutro

Aluminio

REF A21860601B • Blanco

REF A21860609B • Negro

2X3W


500 lm

6500K • Luz fría

Aluminio

REF A21860601S • Blanco

REF A21860609S • Negro



APLIQUE EXTERIOR

2x5W

800 lm

3000K • Cálido

Aluminio

REF A21861001A • Blanco

REF A21861009A • Negro

2x5W

800 lm

4000K • Blanco neutro

Aluminio

REF A21861001B • Blanco

REF A21861009B • Negro

2x5W

800 lm

6500K • Luz fría

Aluminio

REF A21861001S • Blanco

REF A21861009S • Negro

